

717-6^D



Television Layette

IN PATONS BEEHIVE BABY WOOL

as featured by James Norbury

**TELEVISION'S KNITTING MAN AND
PATONS & BALDWIN'S CHIEF DESIGNER**



First we see on the front cover . . .
**A matching set of Dress, Matinee Coat,
 Bonnet, Mitts and Bootees**

READ THIS FIRST

ABBREVIATIONS

K.=knit; P.=purl; st.=stitch; sl.=slip;
 w.f.=wool forward; p.s.s.o.=pass slip
 stitch over; tog.=together; t.b.l.=
 through back of loop; inc.=increase by
 working into front and back of stitch;
 dec.=decrease by working 2 sts. to-
 gether; beg.=beginning; alt.=alternate;
 rep.=repeat; patt.=pattern; incl.=in-
 clusive; ins.=inches.

TO MAKE UP

All pieces of work should be pressed on
 wrong side using a warm iron and damp
 cloth before being made up. In making
 up a flat seam is used throughout, with
 the exception of the shoulders where a
 fine back-stitch seam is used.

TENSION

Before you knit these designs check your
 tension carefully. Take a pair of No. 10
 needles and some Patons Beehive Baby
 Wool, Patonised. Cast on 15 sts. and
 work in stocking stitch—1 row knit;
 1 row purl—for 19 rows. Cast off; press
 lightly on wrong side. The tension should
 be $7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch
 and the knitted square should measure
 2 inches each way. If the square is bigger
 your work is too loose; try a size finer
 needle. If it is smaller your work is too
 tight; try a size coarser needle.

If you knit to the correct tension in
 stocking stitch, you will knit naturally
 to the correct tension for any stitch in
 this book. If you alter the needles to

We gratefully acknowledge to **Curry Ltd.** the loan of the Television Set illustrated
 in this booklet.

obtain the correct tension in stocking
 stitch, corresponding alterations must
 be made to the needles throughout.

*Note: In working these designs the first and
 last stitches should be knitted on every row.*


STITCHES USED IN THIS BOOK

FANCY HEM

1st row—K.
 2nd and every alt. row—P.
 3rd row—K.1, * w.f., K.2 tog., rep.
 from * to end.
 5th row—K.2, * w.f., K.2 tog., rep.
 from * to last st., K.1.
 7th row—Make hem by knitting tog.
 one st. from needle and one loop from
 cast-on edge all across row.

RIDGE & LACE BORDER

1st and 2nd rows—K.
 3rd–5th rows—P. 6th–8th rows—K.
 9th, 11th and 13th rows—P.
 10th row—* K.4, w.f., K.2 tog.t.b.l.,
 rep. from * to last 3 sts., K.3.
 12th row—K.2, * K.2 tog., w.f., K.1,
 w.f., K.2 tog.t.b.l., K.1, rep. from * to
 last st., K.1.
 14th row—K.1, K.2 tog., * w.f., K.3,
 w.f., sl.1, K.2 tog., p.s.s.o., rep. from
 * to last 6 sts., w.f., K.3, w.f., K.2 tog.
 t.b.l., K.1.
 15th row—P. 16th–18th rows—K.
 19th–21st rows—P.
 22nd and 23rd rows—K.



Let's begin with the Dress

MATERIALS

3 oz. PATONS BEEHIVE BABY Wool,
 Patonised. Two No. 11 and two No. 10
 BEEHIVE or QUEEN BEE needles,
 measured by BEEHIVE gauge. Five buttons.

MEASUREMENTS

Width all round underarm, 18 ins. Length
 from top of shoulder, 15 ins. Sleeve seam, 2 ins.

TENSION

$7\frac{1}{2}$ sts. and $9\frac{1}{2}$ rows to one square inch on
 No. 10 needles, measured over stocking stitch.
 See page 2 for how to check your Tension,
 and Abbreviations.

FRONT

Using No. 11 needles and the two needle
 method, cast on 129 sts.

Work rows 1–7 incl. of fancy hem as on
 page 2.

Change to No. 10 needles and work rows
 1–23 incl. of ridge and lace border as on
 page 2.

Continue in stocking stitch until work
 measures 10 ins. from beg., finishing at end
 of a P. row.

Next row—K.3, K.2 tog., (K.3 tog., K.2
 tog.) 24 times, K.4 (56 sts.).

Change to No. 11 needles and work rows
 1–8 incl. of ridge and lace border, page 2.

Next row—P.3, (inc. in next st. purlwise,
 P.4) 10 times, inc. in next st., P. to end (67 sts.).

Change to No. 10 needles and proceed in
 Yoke patt. as follows:—

1st row—K.5, * w.f., K.2 tog.t.b.l., K.6,
continued on page 12

Now we go on to the Matinee Coat

MATERIALS

3 oz. PATONS BEEHIVE BABY Wool, Patonised. Two No. 10 BEEHIVE or QUEEN BEE needles measured by BEEHIVE gauge. Length of ribbon.

MEASUREMENTS

Width all round underarm, $18\frac{1}{2}$ ins. Length from top of shoulder, $11\frac{1}{2}$ ins. Sleeve seam, 5 ins.

Tension: As Dress. See page 2 for how to check your Tension, and Abbreviations.

BACK

Cast on 117 sts. 1st row—K.

Work ridge and lace border as on page 2, rows 1–15 incl. once, then rows 10–15 incl. 10 times.

Next row—K.2, * K.2 tog., K.3 tog., rep. from * to last 5 sts., K.2 tog., K.3 (50 sts.). K. 5 rows.

Next row—Inc. in first st., (K.2, inc. in next st.) 6 times, (K.1, inc. in next st.) 6 times, (K.2, inc. in next st.) 6 times, K.1 (69 sts.).

Next row—P.

Work 2 rows in stocking stitch.

Continue in stocking stitch shaping armholes by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 53 sts. remain.

Continue on these sts. until work measures $3\frac{1}{2}$ ins. from beg. of armhole shaping.

Shape shoulders by casting off 8 sts. at beg. of next 4 rows. Cast off.

RIGHT FRONT

Cast on 62 sts. 1st row—K.

Keeping a border of 5 sts. in garter stitch (every row K.) at Front edge and working

remaining sts. in ridge and lace border as on Back, proceed as follows:—

Next row—K. to last 5 sts., (K.5).

Next row—(K.5), K. to end.

Next row—Work as 3rd row of ridge and lace border to last 5 sts., (K.5).

Next row—(K.5), work as 4th row of ridge and lace border to end.

Continue in this manner, working rows 5–15 incl. of patt. once, then rows 10–15 incl. 10 times.

Next row—K.7, (K.2 tog., K.3 tog.) 10 times, K.2 tog., K.3 (31 sts.). K. 5 rows.

Next row—K.6, (inc. in next st., K.5) 4 times, K.1 (35 sts.).

Next row—P. to last 5 sts., (K.5).

Keeping garter stitch border correct and working remaining sts. in stocking stitch, work 3 rows.

****Shape armhole** by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on every alt. row until 27 sts. remain.

Continue on these sts. until work measures $2\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at front edge.

Shape neck by casting off 7 sts. at beg. of next row. Dec. 1 st. at neck edge on every row until 16 sts. remain.

Continue on these sts. until work measures same as Back up to shoulder shaping, finishing at armhole edge.

Shape shoulder by casting off 8 sts. at beg. of next and alt. row.

LEFT FRONT

Cast on 62 sts. 1st row—K.

Keeping a border of 5 sts. in garter stitch at front edge and working remaining sts. in patt. as on Back, proceed as follows:—

Next row—(K.5), K. to end.

Next row—K. to last 5 sts., (K.5).



Next row—(K.5), work as 3rd row of ridge and lace border to end.

Next row—Work as 4th row of ridge and lace border to last 5 sts., (K.5).

Continue in this manner, working rows 5–15 incl., then rows 10–15 incl. 10 times.

Next row—K.3, K.2 tog., (K.3 tog., K.2 tog.) 10 times, K.7 (31 sts.).

K. 5 rows.

Next row—K.1, (K.5, inc. in next st.) 4 times, K.6 (35 sts.).

Next row—K.5, P. to end.

Keeping garter stitch border correct and working remaining sts. in stocking stitch, work 2 rows.

Complete as for Right Front working from ** to end.

SLEEVES

Cast on 33 sts.

1st–3rd rows—K. 4th–6th rows—P.

7th–12th rows—As rows 1–6.

13th row—K.2, (K.2, K.2 tog.) 7 times, K.3 (26 sts.).

14th row—K.

15th row—Inc. once in every st. to last st., K.1 (51 sts.).

16th row—P.

Rep. rows 10–15 incl. of ridge and lace patt. as on page 2, until work measures 5 ins. from beg.

Keeping patt. correct, shape top by casting off 1 st. at beg. of every row until 35 sts. remain, then 2 sts. at beg. of every row until 21 sts. remain.

Cast off working 2 tog. all across row to last st., cast off last st.

Work another Sleeve in same manner.

NECKBAND

Join shoulders of Back and Fronts.

With right side of work facing knit up 57 sts. round neck.

K. 4 rows. Cast off.

TO MAKE UP

Join side and sleeve seams and stitch Sleeves into position. Attach a length of ribbon at waist and neck. Press seams.

Instructions for the Bonnet, Mitts and Bootees are on page 8 or 9.

A Cardigan worth looking at

MATERIALS

2 oz. PATONS BEEHIVE BABY Wool, Patonised. Two No. 12 and two No. 10 BEEHIVE or QUEEN BEE needles, measured by BEEHIVE gauge. Six buttons.

MEASUREMENTS

Width all round underarm, 18½ ins. Length from top of shoulder, 9½ ins. Sleeve seam, 6 ins.

Tension: As Dress.

See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Using No. 12 needles, cast on 29 sts.

1st row—K.2, * P.1, K.1, rep. from * to last st., K.1.

2nd row—* K.1, P.1, rep. from * to last st., K.1.

Rep. these 2 rows 7 times inc. 1 st. at beg. of last row (30 sts.).

Change to No. 10 needles and proceed in ridge patt. with lace border as follows:—

1st row—K.3, w.f., K.2 tog.t.b.l., K. to end.

2nd and 4th rows—K.1, P. to last st., K.1.

3rd row—K.1, K.2 tog., w.f., K.1, w.f., K.2 tog.t.b.l., P. to last st., K.1.

5th row—K.

6th row—K. to last 6 sts., P.5, K.1.

These 6 rows form the patt.

Rep. rows 1-6 incl. 8 times.

Keeping patt. correct, shape front slope and armhole as follows:—

1st row—Patt. 6, work 2 tog.t.b.l., work to end.

2nd row—Cast off 3 sts., patt. to end.

**Continue in patt., dec. 1 st. at armhole edge on next and every alt. row until 5 dec. have been worked at armhole edge, at the same time dec. 1 st. at front edge inside lace border on every 4th row from previous dec. until armhole shaping has been completed.

Continue without further dec. at armhole edge but dec. at front edge on every 6th row from previous dec. until 15 sts. remain. Continue on these sts. until work measures 3½ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row—Cast off 7 sts., work to end.

2nd row—Work all across. Cast off.

LEFT FRONT

Using No. 12 needles, cast on 29 sts. Work ribbing and inc. as on Right Front (30 sts.).

Change to No. 10 needles and proceed in ridge patt. with lace border as follows:—

1st row—K. to last 4 sts., w.f., K.2 tog.t.b.l., K.2.

2nd and 4th rows—K.1, P. to last st., K.1.

3rd row—K.1, P. to last 6 sts., K.2 tog., w.f., K.1, w.f., K.2 tog.t.b.l., K.1.

5th row—K.

6th row—K.1, P.5, K. to end.

These 6 rows form the patt.

Rep. rows 1-6 incl. 8 times.

Keeping patt. correct, shape armhole and front slope as follows:—

1st row—Cast off 3 sts., work to last 8 sts., K.2 tog., patt. to end.

2nd row—Patt. all across.

Complete as for Right Front working from ** to end.

BACK

Using No. 12 needles, cast on 65 sts. Work 1st and 2nd rows of rib as on Right Front 8 times.

Change to No. 10 needles and proceed in ridge patt. as follows:—

1st row K. 2nd-4th rows—K.1, P. to last st., K.1. 5th and 6th rows—K.

These 6 rows form the patt.

Continue in patt. until work measures same as Fronts up to armhole shaping.

Shape armholes by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 49 sts. remain.

Continue on these sts. until work measures same as Fronts up to shoulder shaping.

Shape shoulders by casting off 7 sts. at beg. of next 2 rows; 8 sts. at beg. of following 2 rows. Cast off.

SLEEVES

Using No. 12 needles, cast on 37 sts.

Work 1st and 2nd rows of rib as on Right Front 8 times.

Change to No. 10 needles and proceed in ridge patt. as on Back inc. 1 st. at both ends of 7th and every following 8th row until there are 47 sts. on needle.

Continue on these sts. until work measures 6 ins. from beg.

Shape top by casting off 1 st. at beg. of every row until 25 sts. remain; 2 sts. at beg. of every row until 17 sts. remain. Cast off. Work another Sleeve in same manner.

FRONT BAND

Using No. 12 needles, cast on 8 sts.

1st row—K.2, (P.1, K.1) 3 times.

2nd row—As 1st row.


3rd row—K.2, P.1, K.1, w.f., K.2 tog., P.1, K.1.

Continue in rib, working a buttonhole as on 3rd row on every 12th row from previous buttonhole until 6 buttonholes in all have been worked.

Continue without further buttonholes until work measures 21 ins. (not stretched) from beg. Cast off in rib.

TO MAKE UP

Join shoulder seams. Join side and sleeve seams and stitch Sleeves into position. Stitch on Front Band. Attach buttons. Press seams.



*The Mitts, Bootees and
Bonnet for the set illustrated
on page 5*

MITTS

MATERIALS

1 oz. PATONS BEEHIVE BABY Wool,
Patonised. Two No. 11 and two No. 10
BEEHIVE or QUEEN BEE needles,
measured by BEEHIVE gauge. Length of
ribbon.

MEASUREMENT

Length 4½ ins.

Tension: As Dress.

*See page 2 for how to check your Tension,
and Abbreviations.*

Using No. 11 needles and the two needle
method, cast on 39 sts.


Work rows 1-7 incl. of fancy hem as on
page 2.

Change to No. 10 needles and work rows
1-18 incl. of ridge and lace border as on
page 2.

Next row—P.

Next row—K.1, * K.1, w.f., K.2 tog., rep.
from * to last 2 sts., K.2.

Next row—P.



Next row—K.1, (K.11, inc. in next st.) 3
times, K.2 (42 sts.).

Commencing with a P. row, work 19 rows
in stocking stitch.

Shape top as follows:—

1st row—(K.1, K.2 tog.t.b.l., K.15, K.2
tog., K.1) twice.

2nd and alt. rows—P.

3rd row—(K.1, K.2 tog.t.b.l., K.13, K.2
tog., K.1) twice.

5th row—(K.1, K.2 tog.t.b.l., K.11, K.2
tog., K.1) twice.

7th row—(K.1, K.2 tog.t.b.l., K.9, K.2 tog.,
K.1) twice.

8th row—As 2nd row. Cast off.

Work another Mitt in same manner.

TO MAKE UP

Join seam. Press seam. Thread ribbon
through holes at wrist.

BOOTEES

MATERIALS

1 oz. PATONS BEEHIVE BABY Wool,
Patonised. Two No. 12 and two No. 11
BEEHIVE or QUEEN BEE needles,
measured by BEEHIVE gauge. Length of
ribbon.

TENSION

8 sts. and 10 rows to one square inch on No.
11 needles, measured over stocking stitch.

*See page 2 for how to check your Tension,
and Abbreviations.*

Using No. 12 needles and the two needle
method, cast on 39 sts.

Work rows 1-7 incl. of fancy hem as on
page 2.

Work rows 1-23 incl. of ridge and lace
border as on page 2.

Change to No. 11 needles and work 8 rows
in stocking stitch.

Next row—K.1, * K.1, w.f., K.2 tog., rep.
from * to last 2 sts., K.2.

Next row—K.13, P.13, K.13.

Next row—K.26, turn.

Next row—K.1, P.11, K.1, turn.

Work 26 rows in stocking stitch on these
13 sts. Break off wool.

With right side of work facing, commencing
where 13 sts. were left and using same
needle knit up 14 sts. evenly along side of
instep, K. across 13 sts. on needle, knit up
14 sts. along other side of instep, K. re-
maining 13 sts. (67 sts.).

BONNET

MATERIALS

1 oz. PATONS BEEHIVE BABY Wool,
Patonised. Two No. 11 and two No. 10
BEEHIVE or QUEEN BEE needles,
measured by BEEHIVE gauge. Length of
ribbon.

MEASUREMENT

Width all round brim slightly stretched, 12 ins.

Tension: As Dress.

*See page 2 for how to check your Tension,
and Abbreviations.*

Using No. 11 needles and the two needle
method, cast on 75 sts.

Work rows 1-7 incl. of fancy hem as on
page 2.

Change to No. 10 needles and work rows
1-18 incl. of ridge and lace border as on
page 2.

Next row—* K.1, P.1, rep. from * to last
st., K.1.

Next row—K.2, * P.1, K.1, rep. from * to
last st., K.1.

Rep. these 2 rows 4 times.

K. 13 rows.

Shape foot as follows:—

1st row—K.1, K.2 tog., K.28, K.2 tog.,
K.1, K.2 tog., K.28, K.2 tog., K.1.

2nd row—K.29, K.2 tog., K.1, K.2 tog., K.29.

3rd row—K.1, K.2 tog., K.25, K.2 tog.,
K.1, K.2 tog., K.25, K.2 tog., K.1.

4th row—K.26, K.2 tog., K.1, K.2 tog.,
K.26.

5th row—K.25, K.2 tog., K.1, K.2 tog.,
K.25. Cast off.

Work another Bootie in same manner.

TO MAKE UP

Join seam. Press seam. Thread ribbon
through holes at ankle.

Next row—(on which fabric is reversed) K.5,
(inc. in next st., K.3) 17 times, K.2 (92 sts.).
Next row—P.

Continue in stocking stitch until work
measures 6½ ins. from beg., finishing at end
of a K. row.

Next row—P.15, (P.2 tog., P.28) twice,
P.2 tog., P.15 (89 sts.).

Shape crown in garter stitch as follows:—

1st row—(K.9, K.2 tog.) 8 times, K.1.

2nd and every alt. row—K.

3rd row—(K.8, K.2 tog.) 8 times, K.1.

5th row—(K.7, K.2 tog.) 8 times, K.1.

Continue in this manner working 1 st. less
between dec. on every alt. row until the
row "(K.1, K.2 tog.) 8 times, K.1" has been
worked.

Next row—(K.2 tog.) 8 times, K.1.

Break off wool, run end through remaining
sts. and fasten off securely.

TO MAKE UP

Join seam from centre of crown to ¼ inch
past crown shaping. Press seam. Turn back
front edge. Make rosettes with ribbon,
leaving ends to tie and attach to each side.

The Foundations of the Family

VEST

MATERIALS

2 oz. PATONS BEEHIVE BABY Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles. Length of ribbon.

MEASUREMENTS

Width all round underarm, 16 ins. Length, 9 ins.

TENSION

7 sts. and 9 rows to one square inch on No. 9 needles, measured over stocking stitch. See page 2 for how to check your Tension, and Abbreviations.

RIGHT FRONT

Cast on 43 sts. K. 56 rows.

Make slot as follows:—

Next row—K.33, turn.

K. 6 rows on these 33 sts.

Break off wool and rejoin to group of 10 sts.

K. 7 rows on these 10 sts.

Next row—K. all across.

**Shape neck and Sleeve as follows:—

1st row—Cast off 9 sts., K. to end.

2nd row—K. to end.

3rd row—K.3, K.2 tog., K. to last 2 sts., inc. in next st., K.1.

4th 11th rows—Rep. 2nd and 3rd rows 4 times.

12th row—Cast on 8 sts., K. to end (42 sts.).

13th row—K.3, K.2 tog., K. to end.

14th row—K. to end.

15th row—K.3, K.2 tog., K. to last 3 sts., turn.

16th row—K. to end.

17th row—K.3, K.2 tog., K. to end.

18th row—K. to end.

Rep. rows 13–18 incl. twice, then 13th and 14th rows once.

Next row—K. to last 3 sts., turn.

Next row—K. to end**.

K. 8 rows on these 32 sts.

Slip sts. on to a length of wool and leave.

LEFT FRONT AND BACK

Cast on 43 sts.

K. 64 rows.

Work as Right Front from ** to **.

K. 7 rows.

Next row—K. to end, cast on 15 sts. for back of neck. Slip sts. from Right Front on to left-hand needle (neck edge at point of needle), K. across these sts. (79 sts.).

K. 2 rows.

Proceed as follows:—

1st 4th rows—K. to end.

5th and 6th rows—K. to last 3 sts., turn.

Rep. these 6 rows 3 times. K. 2 rows.

Shape Sleeves by casting off 8 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 53 sts. remain. K. 66 rows. Cast off.

TO MAKE UP

Join side and sleeve seams. Attach a length of ribbon to corner of each Front and to corresponding position on side seams. Press seams.

1st row—K.2, * P.1, K.1, rep. from * to end. Rep. this row 3 times.

Next row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 2 sts., w.f., K.2 tog. Rep. 1st row 7 times.

Next row—K.6, (inc. in next st., K.12) 3 times, inc. in next st., K.6 (56 sts.). K. 61 rows.


Divide sts. for legs as follows:—

1st row—K.18, turn.

2nd row—K.1, K.2 tog., K.15.

3rd row—K.14, K.2 tog., K.1, turn.

4th row—K.1, K.2 tog., K.13.



Continue dec. in this manner until 2 sts. remain. Next row—K.2 tog. Fasten off. Rejoin wool and K. across 38 sts. on needle.

Proceed as follows:—

1st row—K.15, K.2 tog., K.1, turn.

2nd row—K.1, K.2 tog., K.14.

3rd row—K.13, K.2 tog., K.1, turn.

4th row—K.1, K.2 tog., K.12.

Continue dec. in this manner until 2 sts. remain.

Next row—K.2 tog. Fasten off.

Rejoin wool and K. 11 rows on remaining 20 sts.

Inc. once at each end of next and every alt. row until there are 56 sts. on needle. K. 79 rows.

Shape Back as follows:—

1st and 2nd rows—K. to last 3 sts., turn.

3rd and 4th rows—K. to last 6 sts., turn.

5th and 6th rows—K. to last 9 sts., turn.

7th and 8th rows—K. to last 12 sts., turn.

9th and 10 rows—K. to last 15 sts., turn.

11th and 12th rows—K. to last 18 sts., turn.

13th and 14th rows—K. to end.

15th row—K.6, (K.2 tog., K.12) 3 times, K.2 tog., K.6.

16th row—K.2, * P.1, K.1, rep. from * to end. Rep. 16th row 6 times.

Next row—K.2, * w.f., K.2 tog., P.1, K.1, rep. from * to last 2 sts., w.f., K.2 tog.

Rep. 16th row 4 times. Cast off in rib.

TO MAKE UP

Join side seams as far as shaping. Thread elastic through holes at waist.

PILCH

MATERIALS

1 oz. PATONS BEEHIVE BABY Wool, Patonised. Two No. 9 BEEHIVE or QUEEN BEE needles. Length of elastic.

MEASUREMENT

Length at centre front, 8½ ins.

Tension: As Vest. See page 2 for how to check your Tension, and Abbreviations. Commencing at Front, cast on 52 sts.

continued from page 3

rep. from * to last 6 sts., w.f., K.2 tog.t.b.l., K.4.

2nd row—P.

3rd row—* P.3, K.2 tog., w.f., K.1, w.f., K.2 tog.t.b.l., rep. from * to last 3 sts., P.3.

4th row—As 2nd row.

5th row—K.

6th row—* K.3, P.5, rep. from * to last 3 sts., K.3.

These 6 rows form the Yoke patt.**

Work rows 1 and 2 of Yoke patt.

Keeping Yoke patt. correct, shape armholes by casting off 3 sts. at beg. of next 2 rows. Dec. 1 st. at both ends of next and every alt. row until 51 sts. remain.

Continue on these sts. until work measures $2\frac{1}{2}$ ins. from beg. of armhole shaping, finishing so that right side of work will be facing when working next row.

Shape neck as follows:—

Next row—Patt. 20, cast off 11, patt. to end.

Continue in patt. on each group of sts., dec. 1 st. at neck edge on every row until 15 sts. remain.

Continue on these sts. until work measures $3\frac{1}{2}$ ins. from beg. of armhole shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row—Cast off 7 sts., work to end.

2nd row—Work all across. Cast off.

BACK

Work as Front until * is reached.

Divide Back as follows:—

Next row—Patt. 34, turn.

Continue on these 34 sts. as follows:—

Next row—Patt. to end.

***Keeping patt. correct, shape armhole by casting off 3 sts. at beg. of next row. Dec. 1 st. at armhole edge on every alt. row until 26 sts. remain.

Continue on these sts. until work measures same as Front up to shoulder shaping, finishing at armhole edge.

Shape shoulder as follows:—

1st row—Cast off 7 sts., work to end.

2nd row—Work all across.

3rd row—Cast off 8 sts., work to end.

4th row—Work all across. Cast off.

Rejoin wool to sts. on needle, cast on 4 sts. for underflap and knitting these 4 sts. on every row work 3 rows in patt.

Complete as for first half of Back working from *** to end, noting that there should be 29 sts. in place of 26 sts. after completion of shaping.

SLEEVES

Using No. 11 needles and the two needle method, cast on 31 sts.

Work rows 1–7 incl. of fancy hem as on page 2.

Change to No. 10 needles.

Next row—K.

Next row—K.1, (K.1, inc. once in each of next 3 sts.) 7 times, K.2 (52 sts.).

Next row—P.

Proceed in stocking stitch, inc. 1 st. at both ends of 3rd and following 3rd row (56 sts.).

Work 10 rows.

Shape top by casting off 1 st. at beg. of every row until 48 sts. remain; 2 sts. at beg. of every row until 28 sts. remain.

Cast off working 2 tog. all across row.

Work another Sleeve in same manner.

NECKBAND

Join shoulders of Back and Front.

Using No. 11 needles, with right side of work facing knit up 53 sts. round neck.

Work rows 2–5 incl. of fancy hem.

Next row—P.

Work 2 rows in stocking stitch. Cast off.

TO MAKE UP

Join side and sleeve seams and stitch Sleeves into position. Fold over neckband and stitch cast-off edge to knitted up edge on wrong side of work. Stitch down end of underflap. Attach buttons to left side of Back opening, work button loops to correspond. Press seams.

*Please address knitting enquiries concerning this booklet to
Dept. SHB, Patons & Baldwins Limited, Great West Road, Brentford, Middlesex*

PUBLISHED BY PATONS & BALDWIN'S LIMITED

Prices apply only in Great Britain and Northern Ireland

Made and Printed in Great Britain
40123

INCHES

2

3

4

5

6

7